

Utah Weekly Pertussis Update

2015 data, through MMWR week ending July 4, 2015 (MMWR week 26)


Data presented in this report are based on current data available and will be subject to change weekly.

Data Summary

Total number of cases reported, 2015 year-to-date (YTD)	299	Utah Incidence rate, 2015 year-to-date (YTD) per 100,000 person-years	20.3
Total number of cases reported 2014	926	Utah Incidence rate, 2014 per 100,000 person-years	31.9
Number of cases reported in past week	5	National Incidence rate, 2013 per 100,000 person-years (As of 11/12/2014) *Provisional	8.9
Total number of cases reported, through same time period 2014	596	2015 Hospitalizations	8
Age groups with the highest rates	<1 year	2015 Cases in infants <1 year	30
	1-4 year		

*National Incidence Rate is updated as released by the Centers for Disease Control and Prevention.

Number of cases reported by week



*Additional cases may have occurred, especially in the most recent 3 weeks that have not yet been reported, as indicated by the grayed out section of the graph above.

2015 Year-to-Date Incidence Rates, By Age

Age (years)	2015 Cases	2013 population	Rate*, **
<1	30	50,052	118.3
1-4	48	203,815	46.5
5-14	79	505,598	30.8
15-24	60	469,436	25.2
25-34	24	440,736	10.7
35-44	28	372,699	14.8
45-54	7	305,312	4.5
55-64	15	269,589	11.0
65+	8	283,635	5.6
Total	299	2,900,872	20.3

* Rate is calculated per 100,000 person years.

Infants less than 1 year of age have historically had the highest incidence rates of pertussis due to their susceptibility.

**2013 population estimate update as of 11/4/2014 rates may vary compared to previous reports.

School Age Incidence Rates, 2015 Year-to-Date


Grade	Age (years)	2015 Cases	2013 Population	Rate*
Preschool	3-4	123	103,602	234.2
Kindergarten	5	9	53,177	33.4
1	6	8	52,869	29.9
2	7	5	52,063	18.9
3	8	15	51,809	57.1
4	9	6	51,080	23.2
5	10	7	50,567	27.3
6	11	9	48,961	36.3
7	12	7	49,008	28.2
8	13	6	48,884	24.2
9	14	7	47,180	29.3
10	15	16	46,321	68.1
11	16	16	45,914	68.8
12	17	16	44,889	70.3

* Rate is calculated per 100,000 person-years

School age incidence rates were calculated using the average age of a student in each grade.

The high incidence rates in 5th and 6th grade may be due to waning immunity.

Utah Case Counts of Pertussis, 2008-2014



Pertussis tends to be cyclical. Reports have increased in Utah since 2010, peaked in 2012, and are currently trending downward.

* 2015 data includes pertussis cases reported year to date. 2010-2014 data reflects cases reported during the entire calendar year for each year.

Incidence of pertussis by Local Health Department, 2015 YTD

Local Health Department	2015 Cases	Rate*
Bear River	0	0.0
Central Utah	9	23.3
Davis County	28	17.2
Salt Lake Valley	76	13.9
San Juan County	12	158.1
Southeast Utah	2	9.6
Southwest Utah	6	5.5
Summit County	41	210.2
Tooele County	2	6.5
TriCounty	1	3.5
Utah County	44	15.7
Wasatch County	6	44.8
Weber-Morgan	39	30.9

* Rate is calculated per 100,000 person-years using 2013 Utah population estimates

